

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|--------------------|------------------|---------|------------------|
| S1 | 369 | (257/685).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/16 08:51 |
| S2 | 225749 | Lee ho-cheol.pn. | USPAT | OR | ON | 2005/03/16 08:51 |
| S3 | 225751 | Lee ho-cheol.in. | USPAT | OR | ON | 2005/03/16 08:51 |
| S4 | 20 | "Lee ho-cheol".in. | USPAT | OR | ON | 2005/03/16 09:04 |
| S5 | 23 | "ho-cheol".in. | USPAT | OR | ON | 2005/03/16 09:06 |
| S6 | 12 | S5 and common | USPAT | OR | ON | 2005/03/16 09:06 |
| S7 | 1 | S5 and common adj circuit | USPAT | OR | ON | 2005/09/27 14:13 |
| S8 | 5 | "803043".ap. | USPAT | OR | ON | 2005/03/16 09:14 |
| S9 | 1 | "20050001300" | US-PGPUB; USPAT | OR | ON | 2005/03/16 09:15 |
| S10 | 1036 | (257/777).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/16 11:45 |
| S11 | 1116 | (257/686).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/16 11:45 |
| S12 | 794 | (257/691).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/16 14:15 |
| S13 | 1038 | (257/692).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/16 11:46 |
| S14 | 474 | (438/109).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/16 11:47 |
| S15 | 369 | (257/685).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/16 11:47 |
| S16 | 3596 | S15 S10 S11 S12 S13 S14 | USPAT | OR | ON | 2005/03/17 13:51 |
| S17 | 186 | S16 and (second near3 (chip wafer IC integrated adj circuit) with memory) | USPAT | OR | ON | 2005/03/16 11:55 |
| S18 | 22 | S16 and (second near3 (chip wafer IC integrated adj circuit) with microprocessor) | USPAT | OR | ON | 2005/03/16 12:37 |
| S19 | 138 | S16 and (second near3 (chip wafer IC integrated adj circuit) with power) | USPAT | OR | ON | 2005/03/16 12:29 |
| S20 | 0 | S16 and (second near3 (chip wafer IC integrated adj circuit) with clock near2 buffer) | USPAT | OR | ON | 2005/03/16 11:56 |
| S21 | 7 | S16 and (second near3 (chip wafer IC integrated adj circuit) with clock) | USPAT | OR | ON | 2005/03/16 12:26 |
| S22 | 1 | S16 and (second near3 (chip wafer IC integrated adj circuit) with generator) | USPAT | OR | ON | 2005/03/16 11:56 |
| S23 | 32 | S16 and selection near2 circuit | USPAT | OR | ON | 2005/03/16 13:42 |

| | | | | | | |
|-----|------|--|-----------------|----|-----|------------------|
| S24 | 646 | S16 and (current or power) near3 (consumption or draw\$4 or us\$5) | USPAT | OR | ON | 2005/03/16 13:53 |
| S25 | 599 | S16 and (current or power) near3 (consumption or draw\$4 or us\$5) and second | USPAT | OR | ON | 2005/03/16 13:53 |
| S26 | 61 | (US-5814884-\$ or US-5818699-\$ or US-5834843-\$ or US-5956233-\$ or US-6137167-\$ or US-6459157-\$ or US-6531773-\$ or US-6600220-\$ or US-6617671-\$ or US-6627984-\$ or US-6642614-\$ or US-6762487-\$ or US-6784526-\$ or US-6791192-\$ or US-6798054-\$ or US-6836010-\$ or US-6853063-\$ or US-6867496-\$ or US-6867500-\$ or US-6281590-\$ or US-5376825-\$ or US-6803659-\$ or US-6803254-\$ or US-6731011-\$ or US-6624506-\$ or US-6501173-\$). did. or (US-6492727-\$ or US-5451814-\$ or US-6727574-\$ or US-6573608-\$ or US-6542393-\$ or US-6541849-\$ or US-6521993-\$ or US-6392897-\$ or US-6215192-\$ or US-6157541-\$ or US-5818748-\$ or US-5708298-\$ or US-5490041-\$ or US-5362986-\$ or US-6777801-\$ or US-6580164-\$ or US-6355976-\$ or US-5949139-\$ or US-5434453-\$ or US-6566760-\$ or US-6271587-\$ or US-6163459-\$ or US-5880531-\$ or US-6864585-\$ or US-6838754-\$ or US-6559492-\$ or US-6479845-\$). did. or (US-6392304-\$ or US-6180881-\$ or US-5789807-\$ or US-5717229-\$ or US-5702984-\$ or US-6861739-\$ or US-6792056-\$ or US-6541838-\$).did. | USPAT | OR | ON | 2005/03/17 09:58 |
| S27 | 1172 | (mcm or multi\$chip or multiple near2 chip) and switch\$4 and memory and generator and buffer | USPAT | OR | ON | 2005/03/17 10:02 |
| S28 | 173 | (mcm) and switch\$4 and memory and generator and buffer | USPAT | OR | ON | 2005/03/17 13:50 |
| S29 | 1036 | (257/777).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/17 13:51 |
| S30 | 1116 | (257/686).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/17 13:51 |
| S31 | 794 | (257/691).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/17 13:51 |
| S32 | 1038 | (257/692).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/17 13:51 |
| S33 | 474 | (438/109).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/17 13:51 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S34 | 369 | (257/685).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/17 13:51 |
| S35 | 3596 | S34 S29 S30 S31 S32 S33 | USPAT | OR | ON | 2005/03/17 13:51 |
| S36 | 0 | S35 and "power generator" and "clock buffer" | USPAT | OR | ON | 2005/03/17 13:51 |
| S37 | 4 | S35 and "power generator" | USPAT | OR | ON | 2005/03/17 13:58 |
| S38 | 8 | S35 and "clock buffer" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 13:52 |
| S39 | 4 | S35 and "power generator" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 14:21 |
| S40 | 17 | mcm and "clock buffer" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 14:21 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S41 | 67 | (US-5362986-\$ or US-5376825-\$ or US-5434453-\$ or US-5451814-\$ or US-5490041-\$ or US-5702984-\$ or US-5708298-\$ or US-5717229-\$ or US-5789807-\$ or US-5814884-\$ or US-5818699-\$ or US-5818748-\$ or US-5834843-\$ or US-5880531-\$ or US-5886947-\$ or US-5949139-\$ or US-5956233-\$ or US-6137167-\$ or US-6157541-\$ or US-6163459-\$ or US-6180881-\$ or US-6215192-\$ or US-6271587-\$ or US-6281590-\$ or US-6343036-\$ or US-6355976-\$). did. or (US-6392304-\$ or US-6392897-\$ or US-6459157-\$ or US-6479845-\$ or US-6492719-\$ or US-6492727-\$ or US-6501173-\$ or US-6521993-\$ or US-6531773-\$ or US-6541838-\$ or US-6541849-\$ or US-6542393-\$ or US-6559492-\$ or US-6566760-\$ or US-6570404-\$ or US-6573608-\$ or US-6580164-\$ or US-6600220-\$ or US-6617671-\$ or US-6624506-\$ or US-6627984-\$ or US-6642614-\$ or US-6727574-\$ or US-6731011-\$ or US-6762487-\$ or US-6777801-\$ or US-6784526-\$). did. or (US-6791192-\$ or US-6792056-\$ or US-6798054-\$ or US-6803254-\$ or US-6803659-\$ or US-6809417-\$ or US-6836010-\$ or US-6838754-\$ or US-6847575-\$ or US-6853063-\$ or US-6861739-\$ or US-6864585-\$ or US-6867496-\$ or US-6867500-\$).did. | USPAT | OR | ON | 2005/09/26 12:53 |
| S42 | 7 | ("5391917").PN. OR ("5949139").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/09/27 14:33 |
| S43 | 1648 | "common circuit" and (disable or select) and (chip or IC or "semiconductor chip") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 14:34 |
| S44 | 268 | "common circuit" same (disable or select) and (chip or IC or "semiconductor chip") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 14:41 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S45 | 2 | "common circuit" same "common function" same (disable or select or enable) and (chip or IC or "semiconductor chip") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 14:43 |
| S46 | 111 | "common function" same (disable or select or enable) and (chip or IC or "semiconductor chip") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 15:20 |
| S47 | 1 | (257/686.ccls. or 257/685.ccls.) and "common function" same (enable or disable or select) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 16:11 |
| S48 | 142 | (257/686.ccls. or 257/685.ccls.) and (enable or disable or select) same power | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 15:23 |
| S49 | 1 | (257/686.ccls. or 257/685.ccls.) and (enable or disable or select) same "power generator" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 15:24 |
| S50 | 2 | (257/686.ccls. or 257/685.ccls.) and (enable or disable or select) same "clock buffer" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 15:55 |
| S51 | 2 | (257/686.ccls. or 257/685.ccls.) and (enabl\$3 or disabl\$3 or select\$3) same "clock buffer" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 16:00 |
| S52 | 21 | (257/686.ccls. or 257/685.ccls.) and (enabl\$3 or disabl\$3 or select\$3) same generator | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 11:11 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S53 | 59 | ("4266282" "4426689" "4467342" "4500905" "4612083" "4706166" "4754316" "4761681" "4801992" "4887338" "4887339" "4894706" "4897708" "4939568" "4950173" "4999331" "5006073" "5025306" "5089880" "5110298" "5116462" "5130276" "5196722" "5202754" "5455445" "5477083" "5536973").PN. OR ("5818748").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/09/27 16:06 |
| S54 | 108 | (257/686.ccls. or 257/685.ccls.) and function same (enable or disable or select) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 17:09 |
| S55 | 584 | ("257"/\$.ccls.) and function same (enable or disable or select) and (redundant or redundancy) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 16:51 |
| S56 | 33 | ("257"/\$.ccls.) and (function with (redundant or redundancy)) same (enable or disable or select) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 13:07 |
| S57 | 9 | ("3771217" "3839781" "4859806" "5214657" "5324681" "5485102" "5691949" "5748872" "5973340").PN. OR ("6093933").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/09/27 17:04 |
| S58 | 2 | (257/686.ccls. or 257/685.ccls.) and (power with redundant) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 17:09 |
| S59 | 1 | (257/686.ccls. or 257/685.ccls.) and (enabl\$3 or disabl\$3 or select\$3) and "power generator" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 11:12 |
| S60 | 4 | (257/686.ccls. or 257/685.ccls.) and (enabl\$3 or disabl\$3 or select\$3) and "clock buffer" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 11:12 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S61 | 30 | (257/686.ccls. or 257/685.ccls.) and ((function or circuit) with (redundant or redundancy)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 14:35 |
| S62 | 13 | (257/686.ccls. or 257/685.ccls. or 257/723.ccls.) and (die or chip or ic or "integrated circuit") with (power with generator) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 14:41 |
| S63 | 19 | (257/686.ccls. or 257/685.ccls. or 257/723.ccls.) and (die or chip or ic or "integrated circuit") with (clock with buffer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 15:11 |
| S64 | 7 | ("5138438" "5147815" "5473198" "5491612" "5508565" "5982043").PN. OR ("6566760").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/09/28 14:59 |
| S65 | 196 | (257/686.ccls. or 257/685.ccls. or 257/723.ccls.) and (power with (consumption or consume)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 15:12 |